

Datasheet





0370 330 6021 www.sunbeltrentals.co.uk



& CA 655

10 kV / 15 kV Insulation Tester



- 5 mA charging current
- Real-time graphical display of R(t)+u(t), i(t), i(u)
- DAR / PI / DD / .R (ppm/V) ratios
- Voltage ramp and step with "burn-in", "early break" and "I-limit" modes
- 3 Iters to optimize measurement stability
- Calculation of R at a reference temperature
- Storage of 80,000
- Report generation with the DataView software



15000 V





1000 V **CAT IV**


IEC 61557



Performance & ergonomics

With their test voltages of up to 10 kV/15 kV, the CA 6550 and CA 6555 megohmmeters are expert tools for testing insulation safely and accurately. As they comply with the most recent recommended practice while taking into account future developments, they are ideal for use on rotating equipment and machinery operating at 12 kV or even higher.

The multiple test modes mean that you can both assess the insulation in qualitative terms by non-destructive testing ("I-limit" and "early-break" modes) and use samples to investigate insulation ageing problems for preventive maintenance purposes ("burning" mode).



Work in total safety with 1,000 V CAT IV accessories



For immediate use, the C.A 6550 and C.A 6555 are delivered with a bag for the 1,000 V CAT IV accessories:

- 2 leads and 1 guard cable terminated by High Voltage crocodile clips.
- vailable as an option: 2 leads and one simplified guard cable.

Applications & fonctionnalités

Thanks to their wide measurement range, up to 30 TQ, the CA 6550 and CA 6555 are ideal for manufacturers off cables, transformers, rotating machines and high-voltage generators, as well for professionals in the power Transmission & Distribution (T&D) sector.

Insulation measurement at up to 10/15 kV on LV/HV rotating machines, transformers, cables, high-voltage generators, overhead
and underground electricity transmission and distribution networks, surge suppressors / spark arresters, measurement
transducers, etc.

2 levels of diagnostics:

- "Go/No Go" test
- Qualitative measurement for preventive maintenance purposes:
 - Test with programmable duration
 - Qualitative measurement: Polarization Index (PI) ratio, dielectric absorption ratio (DAR) and dielectric discharge (DD) index for testing heterogeneous multi-layered insulation
 - · Fixed voltage mode,
 - Step, Ramp mode: results independent of temperature, detection of cracking and insulant ageing or contaminated insulation
 - I-limit or dI/dt (early-break) trigger modes: optimization of non-destructive tests (e.g. Varistor testing)
- Burning mode (no triggering)
- selectable voltage from 40 V to 10,000 / 15,300 V
- Graphic LCD display of R(t) + u(t), I(t), I(u) (useful for testing semi-conductors)
- Storage of results for export onto a PC by means of analysis software to process the measurement logs.

Reduced insulation may be due to gradual deterioration over long periods or to sudden damage. Analysis of the quality ratios (PI-DARDD) is a quick and reproducible way of revealing different types of phenomena involved in insulant deterioration.

The presence of several digital Iters with different time constants helps to improve noise immunity and a 5 mA charging current with a short discharge time means quicker measurement results.

Recent recommendations such as IEEE 43 suggest test voltages of up to 10 kV/15 kV for equipment and installations with a high operating voltage.

Various test modes, such as "burning," "I-limit" or dI/dt "early-break," allow targeted analyses ranging from periodic testing for preventive maintenance to investigation of samples in "burning" mode.

By archiving the results and monitoring the way the measured values evolve over time, you can gain precious guidance on the the action needed to reduce machine and installation downtimes.

POLARIZATION INDEX (PI) & DIELECTRIC ABSORPTION RATIO (DAR)

Insulation is affected by temperature and humidity variations. Moreover, the appearance of disturbance currents means that the measurement is false right from the start. To eliminate these in uences, you have to measure over the long term and calculate the PI and DAR coef cients in order to assess the quality and ageing of the insulants.



DIELECTRIC DISCHARGE (DD)

This test can be used to detect the presence of a faulty layer among other high-resistance layers.

DD = Current measured after 1 min (mA)

Test voltage (V) x Measured capacitance (F)

U-Var POSITION

To handle all measurement environments (electrical equipment, telecommunications installations, rotating machinery, etc.) and measure with the greatest possible accuracy, both instruments offer the U-Var rotary-switch position which allows users to select a voltage among 3 con gurable values and then cause it to vary during the test from 40 to 10,000 V/15,000 V, in 10 V steps from 40 to 1,000 V and in 100 V steps above 1 kV.



PROGRAMMABLE ALARMS

An alarm threshold can be memorized. When there is an overrun, visual and audible alarms are triggered.



STORAGE

The CA 6550 and CA 6555 are equipped with internal memory capable of storing several tens of thousands of measurements. Two indices, OBJ (object) and TEST, are used to store the time/date-stamped results in an ordered way.

VOLTAGE RAMP AND STEP

The resistance of a faulty insulant falls as the test voltage increases. This test, which involves increasing the test voltage step by step, helps to assess the quality of the insulant by observing the curve R(Utest) and the result in ppm/V, which gives a quantitative indication of the curves slope. A ramp mode with a rise time between the two values is also available.

TEST WITH PROGRAMMABLE DURATION

Insulation measurements sometimes take a long time to stabilize because of transient disturbance currents. Insulant quality can be assessed more accurately by means of long-term measurements and analysis of the insulation's trend curve according to the time for which the test voltage is applied.

GRAPH R(t)+u(t), i(t), i(u)

If a test with a programmed duration is run, the instruments automatically store the data at a rate chosen by the user. The CA 6550 and CA 6555 can display the curves R(t)+u(t), i(t) and i(u) directly on the graphic screen. The curves can also be displayed on a PC screen with the DATAVIEW® software.

FILTER FUNCTION

When the measurements are unstable, the FILTER function uses the several lters included in the instrument to smooth the display of the insulation values so that you can read them more easily and interpret them more quickly.

STOP TEST ON THRESHOLDS (I-lim or di/dt, EARLY-BREAK)

For non-destructive testing applications, the CA 6550 and CA 6555 can be configured to stop the tests if there is an insulation fault, preventing further damage. The limit is defined by a current, I-lim, or a di/dt value. For investigations by sampling parts, a «burning» mode is available which allows the test to be performed whatever the current reached.

REFERENCE TEMPERATURE

The value of an insulation resistance varies according to the temperature at the time of measurement. For precise, reliable monitoring, it is a good idea always to express the result of a measurement at a given temperature of reference. There is a special key to press to make the instrument perform the necessary calculation.

DATAVIEW® SOFTWARE

This software retrieves the data stored in the memory, plots the trend curve R(t), prints the customized test protocols and creates spreadsheet les. DataView® con gures and controls the instrument via an optically-isolated link compatible with USB.

Technical specifications

		CA 6550 CA 6555	
Test voltages		10 kV	15 kV
Test voltages	Ranges	500 V: 10 kΩ to 2 TΩ 1,000 V: 10 kΩ to 4 TΩ 2,500 V: 10 kΩ to 10 TΩ 5,000 V: 10 kΩ to 15 TΩ 10,000 V: 10 kΩ to 25 TΩ - 15,000 V: 10 kΩ to 30 TΩ	
	Fixed test voltages	500 / 1,000 / 2,500 / 5,000 / 10,000 V	500 / 1,000 / 2,500 / 5,000 / 10,000 / 15,000 V
	Variable test voltages	40 V - 10,000 V 3 presettable voltage values	40 V - 15,000 V 3 presettable voltage values
	Adjustment increment for variable voltages	Variable: 40-10 kV step : 40 V-1 kV: 10 V 1 kV-10 kV: 100 V	Variable: 40-15 kV step: 40 V-1 kV: 10 V 1 kV-15 kV: 100 V
	Ramp mode		voltage / end voltage / duration
	Ramp configuration range	40-1,100 V / 500-10,000 V	40-1,100 V / 500-15,000 V
	Step mode	Up to 10 steps (values and duration configurable for each step)	
Voltage measurement after test	-	AC: 0 – 2,500 V / DC: 0 – 4,000 V	
Capacitance measurement	•	0.001-9.999 μF / 10,00 - 19,99 μF	
Leakage current measurement	-	0 - 8 mA	
Discharge after test		Yes / Automatic	
	I-limite	Programmable: 0.2-5 mA	
Additional test stop modes	Early-break	di/dt	
	Timer	Up to 99 minutes 59 seconds	
Burning mode	Burning	Constant testing	
Ratio calculation	-	PI, DAR, DD	
Calculation of R at ref. T°	•	Yes	
Measurement display Iter	•	3 Iters with 3 possible time-constant	
Graphs on display	•	R(t)+u(t); i(t); i(u);	
Storage	•	256 enregistrements, 80 000 points R, U, I et datation	
Communication	•	Optically-isolated port for USB links	
PC software	•	DataView°	
Power supply	•	NiMH rechargeable batteries, 8x 1.2 V / 4,000 mAh charging by external voltage: 90-260 V 50/60 Hz	
Battery charging	•	Battery charging possible while performing insulation measurements	
Electrical safety	•	1,000 V CAT IV - IEC 61010-1 and IEC 61557 IEC 61010-031 accessories	
EMC, mechanical protection, altitude	-	EN 61326-1, IP54, 2,000 m	
Dimensions and weight	•	LxWxH: 340 x 300 x 200 mm, 6.2 kg approx. (excluding accessories)	

For order

State at delivery

CA 6550 and CA 6555 delivered with:

- Bag with 2 safety leads 3 m long equipped with an HV crocodile clip at one end (red/blue) and an HV plug at the other end,
- 1 guarded safety lead 3 m long equipped with an HV crocodile clip at one end and an HV plug with rear connection at the other end (black),
- -1 blue lead 0.5 m long with rear connection
- 1 mains power cable 2 m long,
- 1 optical / USB communication cable,
- 1 multilingual specifications label, multilingual safety datasheet,
- 1 USB drive containing the user's manuals and DataView® software.

References

,	- CA 6550	P0113971
	- CA 6555	P01139716

Accessories / Replacement parts	
- 3 leads 3 m long with HV croc clips for 10/15 kVP01295517+P01295520+P01295523	
- Blue 8 m lead with HV croc clipP01295521	
- Blue 8 m lead with HV croc clip	
- Black 8 m lead with HV croc clipP01295524	
- Rlug 15 m load with HV croc clin P01205522	
- Red 15 m lead with HV croc clipP01295519	
- Red 15 m lead with HV croc clip	
- 3 blue HV leads 3 m long for 10/15 kV	
- Blue 50 cm HV lead with rear connectionP01295526	
- 2 test probes (red/black)P01295454Z	
- 3 red/blue/black crocodile clips	
- 2P mains leadP01295174	
- Carrying bagP01298066	
- CA 1821 thermocouple thermometerP01654821	
- CA 1246 thermo-hygrometer	















Chauvin Arnoux

12 - 16 rue Sarah Bernhardt 92600 Asnières-sur-Seine Tél: +33144854485 Fax: +33146277389 info@chauvin-arnoux.fr www.chauvin-arnoux.fr/com

UNITED KINGDOM Chauvin Arnoux Ltd

Unit 1 Nelson Ct, Flagship Sq, Shaw Cross Business Pk Dewsbury, West Yorkshire - WF12 7TH Tel: +44 1924 460 494 Fax: +44 1924 455 328 info@chauvin-arnoux.co.uk www.chauvin-arnoux.com

MIDDLE EAST

Chauvin Arnoux Middle East P.O. BOX 60-154 1241 2020 JADE LEDB - LEBANON Tel: +9611 890 425 Fax: +9611890424 camie@chauvin-arnoux.com www.chauvin-arnoux.com



We are supporting you to deliver a world class service, every day, in every sector...

LOCATIONS

LONDON, HEATHROW

Sunbelt Rentals UK Test & Monitoring

242-252 London Road, Staines, London TW18 4JQ 0333 122 3126

www.sunbeltrentals.co.uk/find-a-depot/london-heathrow

REDCAR

Sunbelt Rentals UK Test & Monitoring

Unit 5 Kirkleatham Business Park, Redcar TS10 5SQ 0370 330 6021

www.sunbeltrentals.co.uk/find-a-depot/teesside





STOKESLEY

Sunbelt Rentals UK Test & Monitoring

2 Ellerbeck Way, Stokesley Business Park, Stokesley, North Yorkshire TS9 5JZ 01642 718 900

www.sunbeltrentals.co.uk/find-a-depot/stokesley



www.inlec.com

Order Online with Next Day Delivery, Online Chat & Online **Account Management**





View our trustpilot score











