INLEC.COM



Nationwide Low Call 0333 6000 600

OCCUPATIONAL

ENVIRONMENTAL



optimus yellow **Sound Level Meters** for Simple Noise Measurements



The optimus yellow instruments are a range of state-of-the-art sound level meters that have been designed to meet the very latest standards for noise measurement instruments and provide the highest level of performance possible whilst being simple to setup, use and operate.

Applications

- Simple Noise Level Testing
- Noise Ordinance Enforcement
- Community Noise Assessment
- Fire & Emergency Alarm Testing
- Machinery Servicing & Maintenance

There are many noise measurement applications where integrated noise levels, such as L_{eq} or L_{AVG} , are not required and where basic noise data such as Sound Level (SPL) or Maximum Sound Level $\left(L_{max}\right)$ are all that is needed. These applications include simple noise level testing, noise ordinance enforcement and testing of fire and emergency

The **optimus yellow** instruments are ideal for these applications and can be upgraded to add further functions, future proofing your investment.

Simple operation to make measurements simple

The instruments will measure every parameter simultaneously so there is no possibility of you setting the wrong function, butt only the most important data is displayed on the screen. Where data logging is fitted, store this information for download to the NoiseTools software.

Key Features

- Simple operation
- Simultaneous measurement of all parameters
- · High resolution colour OLED display
- · Latest digital technology
- Ergonomically designed case
- 120dB Measurement range
- Optional Data Logging with VoiceTag audio recording

Data Logging of measured data

The CR:152B and CR:151B instruments provide data logging of over 10,000 records as well as allowing VoiceTag audio information to be stored before each measurement.

These recordings can be played back in the NoiseTools software to provide notes and documentation for each measurement.

A clear upgrade path to protect your investment

A sound level meter should be an investment and the optimus range has been designed with the future in mind.

The units can be upgraded and enhanced as and when new regulations are introduced or when new functions are available.



Specifications



Applicable Standards

IEC 61672-1:2002 Class 1 or Class 2 Group X IEC 60651:2001 Type 1 I or Type 2 I ANSI S1.4 -1983 (R2006)

Microphone

Class 1 Instruments MK:224 pre-polarized Class 2 Instruments MK:216 pre-polarized

Microphone Preamplifier

MV:200 Removable Preamplifier

20dB to 140dB RMS Single Range Noise Floor: <18dB(A) Class 1, <21dB(A) Class 2

Frequency Weightings

RMS: A, C, & Z Measured Simultaneously

Time Weightings

Fast, Slow & Impulse Measured Simultaneously

 $\begin{tabular}{ll} \textbf{Display} \\ \textbf{High resolution OLED display with ambient light sensor $\&$} \end{tabular}$ illuminated keypad

4GB Expandable with up to 10,000 measurements stored (B

Time History Data Rates (Global settings)

10ms, 62.5ms, 125ms, 250ms, 1/2 sec, 1 sec, 2 sec (User selectable)

VoiceTag Audio Recording (B Versions)

30 seconds of audio recording with each measurement

283mm x 65mm x 30mm

Weight

300gms/10oz

Batteries

4 x AA Alkaline

Typically 12 hours with Alkaline AA Typically 20 hours with Lithium AA Non-Rechargeable

Battery life is dependent upon the battery type and quality &

External Power 5v via USB Socket from PC or Power Supply 5v-15v via MultilO socket

Tripod Mount

1/4" Whitworth socket

Connections

USB Type B to PC Multi-pin IO for external power AC Output via 3.5mm Jack Socket & ZL:826 Cable DC Output via Multi-IO Socket & ZL:825 Cable

Case

Material: High Impact ABS-PC with soft touch back & keypad

Environmental

Temperature Operating -10°C to +50°C Storage -20°C to +60°C

Up to 95% RH Non Condensing

Electromagnetic performance IEC 61672-1:2002 & IEC 61672-2:2003 Except where modified by EN 61000-6-1:2007 & EN 61000-6-1:2007

Language options

English, French, German, Spanish as standard Other language options may be available

Software Support

NoiseTools Download, Configuration & Analysis software supplied as standard. Compatible with Microsoft Windows XP, Vista & 7 (32bit & 64bit)

NoiseTools is supplied free from any licensing or installation restrictions.

Measurement Functions

CR:152A & CR:151A **Displayed Functions**

Measurement Run Time

CR:152B & CR:151B

Displayed Functions

L_{XY}, L_{XYMax}, L_{XYMin} Measurement Run Time

Stored Functions

 L_{XYMax} & Time History of L_{XYMax}

where x=A ,C ,Z; y=F, S, I

All values, figures and performance statements are typical and are subject to change without notice

For details of the displayed and stored parameters, please refer to the optimus user manual for full specifications.

All specifications, features and values are typical and are subject to change

Instrument Selection

Function	Class 1	Class 2	Sound Level Functions	Data Logging	VoiceTag Recording	Software Support	Measurement Kit
Instrument							
CR:152A		Yes	Yes				CK:152A
CR:151A	Yes		Yes				CK:151A
CR:152B		Yes	Yes	Yes	Yes	Yes	CK:152B
CR:151B	Yes		Yes	Yes	Yes	Yes	CK:151B

Standard Accessories

The **optimus** sound level meters are supplied, as standard, with the following accessories: User Manual Certificate of Calibration

USB Data/Power Cable Windshield

NoiseTools Software CD (Requires B Version to download measurements)

Measurement Kits

The **optimus** sound level meters are available as a complete measurement kit with the following accessories: optimus Sound Level Meter CR:514 Class 2 or CR:515 Class 1 Acoustic Calibrator

UA:237 90mm Windshield CK:280 Carrying Case User Manual & Certificates of Calibration

 $\begin{tabular}{ll} USB\ Data/Power\ Cable\ \&\ NoiseTools\ Software\ CD\ (Requires\ B\ Version\ to\ download\ measurements) \end{tabular}$



Acoustic House Bridlington Road Hunmanby North Yorkshire YO14 0PH United Kingdom

T: 0845 230 2434 T: +44 1723 891655 F: +44 1723 891742

E: sales@cirrusresearch.co.uk W: www.cirrusresearch.co.uk



















INLEC, supporting you to deliver a world class service, every day, in every sector ...













OUR COMMITMENT TO YOU

A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and well-maintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

YOUR 5 WAY GUARANTEE

1 GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

OUR PRICE GUARANTEE

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match quarantee online

3 TOP QUALITY GUARANTEED

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application*.

FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from anunbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

9 YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

*subject to availability and conditions

Europe's leading Test Equipment Hire Specialist









