

EUROPE'S LARGEST SELECTION OF TEST & MEASUREMENT EQUIPMENT FOR HIRE

INLEC.COM

DATA-SHEET



Nationwide Low Call
0333 6000 600

WHY BUY
WHEN YOU CAN HIRE

Cable Test Set

KPG 38kV VLF



- VLF Testing
- DC Testing
- Sheath Testing


kilovolt
PRUEFTECHNIK

Specification

(Subject to change without further notice!)



Portable VLF cable test set with 0.1 Hz - technology

The portable cable test set KPG 38kV VLF is used for testing of medium voltage cables with extruded insulation (XLPE-, PE-, EPR-insulation) and nominal voltage up to 12.7/22kV in accordance to DIN VDE 0276/620 (CENELEC HD 620 S1).

Test is carried out with a low strain practice with very low frequency voltage of 0.1Hz and test voltage level of $3 \times U_0$ r.m.s. Test enables detection of damages of insulation within shortest test time. The device is also able to test medium voltage cables with impregnated paper insulation. Cable sheath test with direct voltage is possible as well.

		KPG 38kV VLF
Power supply		230 V, 10 A, 50/60 Hz
Output voltage		5...38 kV _{r.m.s.} , 0.1 Hz VLF (0.05 Hz optional) ± 0...52 kV DC
Voltage waveshapes		VLF similar sine-wave (true R.M.S. measurement), Direct voltage
max. load (VLF)		3.7 µF at 19 kV _{r.m.s.} , 0.1 Hz (app. 10 km XLPE-cable 11kV/150mm ²) 6.7 µF at 19 kV _{r.m.s.} , 0.05 Hz (app. 18 km XLPE-cable 11kV/150mm ²) 1.8 µF at 38 kV _{r.m.s.} , 0.1 Hz (app. 8 km XLPE-cable 22kV/150mm ²) 3.2 µF at 38 kV _{r.m.s.} , 0.05 Hz (app. 15 km XLPE-cable 22kV/150mm ²)
Overcurrent trip (DC)		10 mA
Discharge		integrated automatic discharge device 6250J (up to 5 µF at 50kV)
Voltage measuring range		-55 ... 0 ... 55 kV
Current measuring ranges		± 0 ... 100 µA / 1 mA / 10 mA
Operating temperature		-20 ... +40°C
Construction		in two parts, Operation unit and High Voltage unit
Weight	Operation unit HV unit	17 kg 49 kg
Dimensions (W x H x D)	Operation unit HV unit	37 x 34 x 20 cm 40 x 44 x 24 cm

Characteristics:

- Compact portable VLF test device
- Easily portable from 1-2 person
- Simple operation
- Menu-assisted control
- Fully automatic test sequence
- Integrated timer with automatic tripping
- Integrated breakdown detection
- Integrated fault time detection
- Voltage measurement direct at HV output
- Protective ground circuit
- Protective circuit / indication in accord. with VD E 0104
- Leakage current measurement during VLF test

Scope of supply:

- Operation unit with protective bag and cable storage
- High Voltage unit
- HV-connecting cable (shielded), standard length 5m
- Connecting cable, HV unit to Operator unit, length 3m
- Ground cables
- User manual

Options:

- Datalogging (USB) for VLF test sets
- Frequency extension: 0.05 Hz
- Transport case

MADE IN GERMANY

INLEC, supporting you to deliver a world class service, every day, in every sector ...



OUR COMMITMENT TO YOU

A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and well-maintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

YOUR 5 WAY GUARANTEE

1 GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

2 OUR PRICE GUARANTEE

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match guarantee online

3 TOP QUALITY GUARANTEED

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application*.

4 FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from an unbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

5 YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

*subject to availability and conditions

Europe's leading Test Equipment Hire Specialist



LAB NO. 0535



Nationwide Low Call 0333 6000 600

Online: www.inlec.com

Inlec UK Ellerbeck Way, Stokesley Business Park, Stokesley N Yorkshire TS9 5JZ United Kingdom



CERT. NO. GB93/1773



Accredited Contractor