# INLEC.COM

# 



Nationwide Low Call 0333 6000 600

## Cable Test Sets

KPG 50kV KPG 80kV KPG 110kV KPG 120kV











#### Cable Test Sets KPG 50kV/80kV/110kV/120kV

The devices series KPG 50-120kV have been designed as Cable Test Sets for DC voltage testing of Medium Voltage Power Cables. There are 4 different versions (50kV/80kV/110kV/120kV) available. The devices are characterized by low weight and high output power. Thanks to the compact 2-part design, the units are easily portable and perfect to be used on site. The separate design of Operation- and High Voltage unit, a key switch, switch-on interlock and a protective ground circuit ensure maximum safety.

#### Field of application:

- · Testing of newly installed cables an cable joints before commissioning
- Testing at re-commissioning of cable systems or High Voltage systems after maintenance and repair
- Regular preventive cable testing
- · Testing of electrical equipment

	KPG 50kV	KPG 80kV	KPG 110kV	KPG 120kV
Power supply	Mains operation, selectable 115/230 V ; 50/60 Hz (specify when ordering)			
Output voltage infinitely adjustable	O 50 kV DC negative polarity	O 80 kV DC negative polarity	O 110 kV DC negative polarity	O 120 kV DC negative polarity
Rated output current at max. output voltage	6 mA	5 mA	4 mA	3,5 mA
Overcurrent trip	> 8 mA	> 7 mA	> 6 mA	> 5,5 mA
Voltage measuring range	O 50 kV	O 80 kV	O 110 kV	O 130 kV
Current measuring ranges	Ο 100 μA / 1 mA / 10 mA			
Power consumption	max. 900 VA			
Operating temperature Storage temperature	-25 °C +55 °C -40 °C +70 °C			
Weight Operation unit High Voltage unit	13 kg 17 kg	13 kg 18,5 kg	13 kg 20 kg	13 kg 20,5 kg
Dimensions (W x H x D) Operation unit High Voltage unit	37 x 20 x 28 cm 21 x 38 x 31 cm	37 x 20 x 28 cm 21 x 40 x 31 cm	37 x 20 x 28 cm 21 x 42 x 31 cm	37 x 20 x 28 cm 21 x 43 x 31 cm

#### Characteristics:

- Easy operation
- Robust construction, low weight
- Compact, easily portable by modular design
- Quick test setup on site
- Overcurrent trip
- Overvoltage protection
- Voltage measurement direct at HV output
- · Protective ground circuit

#### Options:

- Transport case with trolley-function
- Timer 1 ... 60 minutes

#### Scope of supply:

- Operation unit with protective bag and cable storage
- HV unit with HV-connecting attachement
- HV-connecting cable, length 2m
- Connecting cable, HV unit to Operating unit, length 3m
- · Ground cable for station ground, length 3m
- Ground cable for protective ground, length 3m
- Mains lead
- Ground- and Discharge rod, demountable, with ground cable and bag
- Service pack
- User manual

MADE IN GERMANY 01/2011

## INLEC, supporting you to deliver a world class service, every day, in every sector ...













#### **OUR COMMITMENT TO YOU**

#### A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

#### Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

#### Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and wellmaintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

#### We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

#### **YOUR 5 WAY GUARANTEE**

#### **1** GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

#### **OUR PRICE GUARANTEE**

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match guarantee online

#### **3 TOP QUALITY GUARANTEED**

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application\*.

#### FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from anunbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

#### **5** YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

\*subject to availability and conditions

### **Europe's leading Test Equipment Hire Specialist**









