### INLEC.COM

# 



Nationwide Low Call 0333 6000 600



### **Step-Up Transformer**

When power systems are put into operation or when faults occur, it becomes necessary to check the instrument transformers to make sure that they are providing test instruments and protective relay equipment with the correct outputs.


MAGNUS™ permits you to prepare excitation curves for instrument transformers quickly and easily.

MAGNUS $^{\text{\tiny M}}$  is also used to demagnetize current transformer cores and to conduct turn-ratio tests on voltage transformers. Even though it weighs only 16 kg (35 lbs), it provides 1 A at 2.2 kV. Two-hand control enhances personal safety.

As standard, MAGNUS™ is delivered with a special high-voltage cable and a robust transport case.



### **APPLICATION EXAMPLE**



### Prepare an excitation curve

- Connect MAGNUS to the secondary side of the current transformer being tested and also to an ammeter and voltmeter.
- 2. Increase the voltage with the dial.
- 3. Jot down the values of U (voltage) and I (current).
- **4.** Repeat steps 2 and 3 until the current (I) rises sharply without any significant rise in voltage (U).
- **5.** Conclude the test by reducing U (voltage) slowly to zero, thereby providing demagnetization.

### **SPECIFICATIONS**

### **Outputs**

Output voltage,	0-2200 V AC or 0-2000 V AC*,
high-voltage output	1 A for 30 s.
Output voltage,	0-250 V AC or 0-115 V AC*,
variable transformer	not isolated from mains.

<sup>\*</sup> Only for the version that operates on 115 V mains voltage.

### **Measuring outputs**

Voltage Accuracy	100/1, (max load of 1 M $\Omega$ ) 1.5%
Current	10/1
Accuracy at 1.5 VA	1.5% at 1 A output current
	3% at 0.5 A output current

### **Other**

**Application field:** The instrument is intended for use in high-voltage substations and industrial environments.

Protection: Thermal cut-outs.

Mains voltage: 115 or 230 V AC  $\pm$  10%, 50-60 Hz

Power consumption: 2300 VA

**Dimensions instrument:** 356 x 203 x 241 mm (14" x 8" x 9.5")

Dimensions transport case: 610 x 290 x 360 mm

(24.0" x 11.4" x 14.2")

Cable set: Connection cables, 2 x 5 m (16 ft)/1.5 mm<sup>2</sup>, 15 kV.

Always delivered with the MAGNUS.

**Weight:** 16.3 kg (35.7 lbs). 24.8 kg (54.7 lbs), with accessories

and transport case. **Warranty:** 1 year

The above specifications are valid at nominal input voltage and an ambient temperature of  $+25^{\circ}\text{C}$  ( $+77^{\circ}\text{F}$ ). Specifications are subject to change without notice.

### **ORDERING INFORMATION**

### **Magnus Step-Up Transformer**

Complete with cable set GA-00090 and transport case GD-00182.

Mains voltage: 115 V Art.No: BT-11190 Mains voltage: 230 V Art.No: BT-12390



Cable set GA-00090

## INLEC, supporting you to deliver a world class service, every day, in every sector ...













### **OUR COMMITMENT TO YOU**

### A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

### Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

### Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and well-maintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

### We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

### **YOUR 5 WAY GUARANTEE**

### **1** GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

### **OUR PRICE GUARANTEE**

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match quarantee online

### **3 TOP QUALITY GUARANTEED**

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application\*.

### FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from anunbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

### **9** YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

\*subject to availability and conditions

### **Europe's leading Test Equipment Hire Specialist**









