

EUROPE'S LARGEST SELECTION OF TEST & MEASUREMENT EQUIPMENT FOR HIRE

**INLEC.COM**

# DATASHEET



Nationwide Low Call  
**0333 6000 600**

**WHY BUY**  
WHEN YOU CAN HIRE



## Digital correlator for leak location on water pipelines

### Special features

- Easy to use
- Optimised for plastic pipes
- Long operating time
- Sensor can be connected to the central unit
- Sturdy housing




### Description

The correlator Correlux P-2 is used for leak location on pipes for portable water. Water, escaping from a leak under pressure creates a noise which travels into both directions of the pipe.

This noise is recorded by two sensors (piezo-microphones, hydrophones) attached to the pipe (e. g.: valves, hydrants), amplified and transmitted to the correlator.

The Correlux P-2 compares both signals (correlation) and calculates the exact distance to the leak by use of the signal delay, the sensor distance and the sound velocity.





## Correlux P-2

### Technical data

Correlux P-2	
Processor	RISC- and DSP-processor
Display	320 x 240 Pixel, 1/4" VGA mono-chrome
Data entry	Rotary encoder with enter function
Power supply	Internal Akku, NiMH, external 12 V DC (car-adapter), 100 ... 240 V AV
Operating- / charging time	> 18 h / < 3 h
Interface	RS 232 (updates, print out and data communication via PC)
Connections	Sensor/ Hydrophone direct connection, antenna, headphones/ recharging, charging contacts in case
Protection class	IP 67
Operating temperature	-20 °C ... +60 °C
Dimensions / weight	270 x 130 x 240 mm / 3.3 kg
Transmitters TX A / TX B	
Display	LCD, 2 x 16 characters
Readout	Battery state, noise level, system state
Buttons	On/Off, lighting, volume
Transmitter power	< 500 mW
Operating- / charging time	> 18 h / < 3 h
Power supply	Internal Akku, NiMH, external 12 V DC (car-adapter), 100- 240 V AV
Connections	Sensor, antenna, headphones
Protection class	IP 67
Operating temperature	-20 °C ... +50 °C
Dimensions / weight	190 x 134 x 180 mm / 1.7kg
Sensors PAM CORR	
Sensors PAM CORR	Piezo sensors with active amplifier
Adapter	Magnet adapter
Operating temperature	-20 °C ... +80 °C
Dimensions / weight	38 x 78 mm / 0.4 kg



### All advantages at one glance

- » Easy handling with rotary encoder
- » Rugged and compact design
- » Simultaneous display of the correlation chart and the coherence spectrum (FFT- analysis)
- » Quick filter optimisation without using menus
- » Fast and easy leak identification by using the overview measurement with unknown pipe parameters
- » High radio output for broad reach
- » Transmitter and correlator with direct headphones plug-in to listen live to the leak noise
- » Recharging the complete system in the closed case – direct charging is possible, too
- » Up to 6 pipe sections measurable
- » Active piezo ceramics accelerometers, best suited for plastic pipes
- » Automatic and manual filter adjustment 0 ... 4000 Hz


### Scope of delivery

Correlux P-2	P-2 Basic	P-2 Standard	P-2 Pro
DK P2 Correlator	x	x	x
TX A transmitter + sensor	x	x	x
TX B transmitter + sensor		x	x
Headphones	x	x	x
Ground microphone			x
Transportation case	Option	x	x
Recharger	x	x	x
Hydrophone	Option	Option	Option
Vehicle charger	Option	Option	Option
Software	P-2 Basic	P-2 Standard	P-2 Pro
Listening mode			x
Chart memory		x	x
PC software		x	x

### Options

- » Hydrophones to use on plastic pipes

# INLEC, supporting you to deliver a world class service, every day, in every sector ...



## OUR COMMITMENT TO YOU

### A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

### Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

### Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and well-maintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

### We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

## YOUR 5 WAY GUARANTEE

### 1 GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

### 2 OUR PRICE GUARANTEE

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match guarantee online

### 3 TOP QUALITY GUARANTEED

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application\*.

### 4 FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from an unbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

### 5 YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

\*subject to availability and conditions

## Europe's leading Test Equipment Hire Specialist



LAB NO. 0535



Nationwide Low Call **0333 6000 600**  
Online: **www.inlec.com**

Inlec UK Ellerbeck Way, Stokesley Business Park, Stokesley N Yorkshire TS9 5JZ United Kingdom

