

EUROPE'S LARGEST SELECTION OF TEST & MEASUREMENT EQUIPMENT FOR HIRE

INLEC.COM

DATA-SHEET



Nationwide Low Call
0333 6000 600

WHY BUY
WHEN YOU CAN HIRE



Portable reflectometer for fault location systems

Special features

- **ARMslide** technology with 15 traces in one ARM shot
- **ProRange** for optimised display of distant details
- Support of all existing prelocation technologies
- Automatic adjustment and display of cable end and fault
- Compatible with all fault location systems

Description

With the new **Teleflex SX** the excellent properties of the successful Teleflex VX were transferred into a smaller, handy and portable design. The **Teleflex SX** is operated by the new touchscreen and the well-proven control knob functionality. The interface is shown on a sharp and very bright 10.4" display.

The **Teleflex SX** is specially adapted to the fast events during fault location in power cables. The easyGO operation is reduced to the important and essential steps and runs mostly fully automatically.

The new hardware with improved parameters as sampling frequency, pulse width and impulse amplitude guarantees larger ranges and highest resolution.

The touchscreen operation allows an even easier and faster handling, especially in the case of detail data entry as it is required for the reporting menu.

The **ΔU Trigger** technology provides always perfect trigger in the correct moment.



ARMslide records 15 traces in one shot allowing a selection of the best trace, very helpful for wet and long, difficult cables.

The **ProRange** function allows a distance adapted gain, displaying far distant events with the same amplitude as from short distances.

Via CAN interface or ethernet, the **Teleflex SX** can be integrated into a system, which allows the remote control in offshore applications and ROV's.

By the CAN interface, the **Teleflex SX** becomes the combined control unit of the SPG 40 fault location system, which allows an easy and more intuitive operation of the complete fault location process.

The Linux®-based operating system stands out by highest reliability.

Technical data

Range	20 m ... 160 km @ v/2 = 80 m/μs
Pulse width	20 ns ... 10 μs
Pulse amplitude	5 ... 50 V
Resolution	0,1 m @ v/2 80 m/μs, 1,0 cm @ v/2 < 40 m/μs
Sample rate	Up to 400 MHz
Gain	- 37 ... +37 db
De-attenuation	0 ... +22dB for ProRange (adjustable 0 ... 100 %)
Propagation velocity V/2	10 ... 149,9 m/μs, ft/μs or nvp
Dynamic range	> 80 dB
Output impedance	50 Ω
Compensation	8 Ω ... 500 Ω, adjustable
ARM trigger	Automatic adaptation by ΔU Trigger.
ARMslide	15 measurements in one ARM shot
Dead zone	None
Voltage proof input	> 400 V
Display	10.4" color TFT XGA 1024x768, touchscreen, 600 cd/m ² , CCFL-Backlight
Data storage	4 GB mSATA for program and data
Connectors	Ethernet, USB, BNC, CAN (LON optional)
Protection class	IP 65 closed, IP 54 open lid
Supply	110 ... 240 V, 50/60 Hz, 30 VA, 12 V ext
Dimensions (wxhxd)	362 x 195 x 306 mm (option 19", 6 HU)
Weight	10 kg
Operation temperature	-10 °C ... +50 °C
Storage temperature	-20 °C ... +60 °C

Options

The **Teleflex SX** is available as portable, battery operated stand-alone version but can also be integrated in any measuring system with 19" rack mounting.

Order information

Available May 2013

All advantages at a glance

- » Large 10.4" sunlight-readable colour display
- » Easiest operation by touchscreen and control knob
- » Support of all existing prelocation technologies
- » Automatic trace analysis (cable end and fault position indication)
- » Integrated battery
- » Top performance
- » Compatible with all fault location systems


Functions

- » ARMslide with 15 traces per ARM shot
- » ProRange technology
- » Dual phased reflectometer (TDR) with simultaneous colour display of up to 6 traces
- » Automatic adjustment and display of cable end and fault
- » High resolution by real sample rate of 400 MHz
- » Internal compensation for better details at short range
- » Large 2 GB memory for automatic storage of all data
- » USB interface for data transfer via memory stick and printer
- » Control of the SPG 40
- » Report generation in *.pdf format

The Teleflex SX supports the following technologies:

- » Symmetrical / unsymmetrical reflection measurement
- » Difference measurement / comparison
- » Two-phase reflection measurement (TDR)
- » Optimised support of all Arc reflection methods by ΔU Trigger
- » ICE (impulse current methods)
- » IFL (intermittent fault locating)
- » DECAY travelling wave method
- » ARM burning
- » Partial discharge pinpointing

INLEC, supporting you to deliver a world class service, every day, in every sector ...



OUR COMMITMENT TO YOU

A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and well-maintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

YOUR 5 WAY GUARANTEE

1 GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

2 OUR PRICE GUARANTEE

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match guarantee online

3 TOP QUALITY GUARANTEED

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application*.

4 FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from an unbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

5 YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

*subject to availability and conditions

Europe's leading Test Equipment Hire Specialist



LAB NO. 0535



Nationwide Low Call **0333 6000 600**
Online: **www.inlec.com**

Inlec UK Ellerbeck Way, Stokesley Business Park, Stokesley N Yorkshire TS9 5JZ United Kingdom



CERT. NO. GB93/1773



Accredited Contractor