EUROPE'S LARGEST SELECTION OF TEST & MEASUREMENT EQUIPMENT FOR HIRE

## INLEC.COM

WHEN YOU CAN HIRE

# 

Nationwide Low Call 0333 6000 600

### 1ลแน 16เน รับ แน รับ<sub>ว</sub> แนบบา 11 Luarity Analysei

### 100 co c02

#### **Optional Extras**

- KMIRP infra-red thermal paper printer
- KANE ImPrint infra-red plain paper printer
- Zero calibration capsule

#### **Features**

- Measures ambient CO and ambient CO<sub>2</sub>
- Datalogs up to 255 records with variable sampling time from 1-10 minutes
- Records time and date
- Prints to optional printer using infra-red emitter
- User adjustable alarms for CO and CO<sub>2</sub>
- Long life Ni Mh batteries charged in situ with charger
- Internal pump for fast measurements in room air or ducts
- Long sampling hose for 'silent' sampling of high profile / public areas
- Complete with SGAFP probe, spare spigot, fast charger, manual and carry case

Header Line 1		
Header Line 2		
AUTOLOG		
DATE	6/6/04	
TIME	18:27:08	
Start Time	6/6/04	
	14:00	
Stop Time	6/6/04	
	17:59	
No of readings 240		
Max CO2 ppm	950	
	6/6/04	
	14:00	
Av CO2 ppm	650	
Max CO ppm	12	
	6/6/04	
	15:30	
Av CO ppm	6	
_	_	

#### Technical Specifications KANE100

Parameter	Resolution	Accuracy *1	Specified Range	Over Range
Gas Measurment *1				
Carbon Monoxide	1ppm	±5 ppm < 100ppm ±5% > 100ppm ±10% > 1000ppm	1000ppm	2000ppm
Carbon Dioxide	1ppm	±20ppm < 400ppm ±5% < 4000ppm ±10% > 4000ppm	200 - 4000 ppm	9999ppm

<sup>\*1</sup> Using dry gases at Standard Temperature and Pressure (STP) with the instrument not subjected to sudden changes of temperature, position or severe vibration.

Parameter	Description
Dimensions: Weight	1Kg / 2.2lb
Handset	200mm x 45mm x 90mm (7.9" x 1.8" x 3.5")
Probe	L 300mm x Dia 6mm with stainless steel shaft 200mm L 11.8" x Dia 0.25" / 7.8" long stainless steel shaft
Ambient Operating Range	0°C to 45°C (32-104°F) 10% to 90% RH non-condensing
Battery Life	6 hours from full charge
Battery Charger	Input: 100 - 240 V ac 50 - 60 Hz Output: 10V dc @ 800 mA.

#### Applications at a glance:

CO spillage from boilers into rooms is life threatening and is difficult to detect without a CO analyser.

 $\rm CO_2$  levels above 1000ppm in a building affect our efficiency and concentration and need to be measured to ensure effective building ventilation.

 $\rm CO_2$  emissions from room flued appliances, commercial catering equipment or flueless appliances like gas space heaters or flame effect gas fires can cause drowsiness, moisture and IAQ problems.

#### CO table:

Concentration	
9 ppm	CO Max prolonged exposure (ASHRAE standard)
35 ppm	CO Max exposure for 8 hr work day (OSHA)
800 ppm	CO Death within 2 to 3 hrs
12,800 ppm	CO Death within 1-3 minutes

#### CO, table:

Concentration	
250 – 350 ppm	Normal background concentration in outdoor ambient air
350 – 1,000 ppm	Concentrations typical of occupied indoor spaces with good air exchange
1,000 – 2,000 ppm	Complaints of drowsiness and poor air
2,000 – 5,000 ppm	Headaches, sleepiness and stagnant, sale, stuffy air. Poor concentration, loss of attention, increased heart rate and slight nausea may also be present
5,000 ppm	Workplace exposure limit (as 8-hour TWA) in most jurisdictions
>40,000 ppm	Exposure may lead to serious oxygen deprivation resulting in permanent brain damage, coma and even death

Your distributor

#### NEW Ambient CO and CO<sub>2</sub> Analyser

The KANE100-1 handheld gas analyser measures and logs ambient carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) levels.

It helps prove flueless gas appliances like space heaters, water heaters and kitchen equipment operate safely. If faulty or inadequately ventilated, these appliances generate high levels of harmful CO and CO<sub>2</sub>. With few exceptions, ambient CO levels must be below 10ppm. Flueless appliances also have manufacturer's recommended limits for ambient CO<sub>2</sub> levels.

The KANE100-1 also measures CO and CO<sub>2</sub> for indoor air quality (IAQ) checks. Inadequate ventilation and poorly working appliances will increase CO<sub>2</sub> levels causing drowsiness and condensation. Although some laws allow up to 5,000 ppm CO<sub>2</sub> within an 8 hr period, IAQ professionals recommend no more than 1,000 ppm CO<sub>2</sub> at any time.

The KANE100-1's memory facility stores up to 255 sets of readings which can be logged manually or auto logged at 1 to 10 minute intervals. Results can be printed via an optional infra-red printer including a summary of average and maximum levels reached during the logged period.

The Kane100-1 measures CO up to 1,000ppm using an electrochemical sensor and CO<sub>2</sub> up to 10,000 ppm using a NDIR infra-red sensor. It has an easy to use rotary dial, large backlit display, rechargeable batteries and long sensor life, making it ideal for domestic and commercial service engineers or IAQ specialists to confirm CO & CO<sub>2</sub> levels in homes, offices, factories, schools, other public buildings and commercial kitchens.

The Kane100-1 is fitted with re-chargeable NiMH batteries and is supplied with a charger, protective rubber sleeve with integral magnet, sampling probe with hose, all in a carry case.





All Kane International Limited products are warranted for 12 months from the date of purchase. This warranty covers any defects in materials or manufacturing.

Kane International Limited specialise in the design, manufacture and marketing of electronic instruments for monitoring and optimising both energy usage and emissions from energy processes. Our Policy is to continuously develop and improve our products and so we reserve the right to change any part of our product specifications without prior notice.







CE Ref: KA100LIT06

The KANE logo is a registered trademark of Kane International Ltd.

# INLEC, supporting you to deliver a world class service, every day, in every sector ...



#### **OUR COMMITMENT TO YOU**

#### A wealth of knowledge and experience.

You can take advantage of expert advice to ensure you get the best, most appropriate and cost effective equipment for the job. We supply a wide variety of industries, so if there is another way to do the job or save you time and money we'll pass on the benefit of our experience for free.

#### Honest advice, just a phone call away.

If we don't have a particular item, rather than hiring you something that won't do the job, we would rather direct you to an alternative supplier. You will always be provided with full instructions and if you still need help, call our technical team on Nationwide Low Call 0333 6000 600. Our aim is to save you time, frustration and money.

#### Top quality equipment from major manufacturers.

With Inlec you'll get the most accurate, reliable and wellmaintained equipment available. Prices are regularly reviewed to ensure you always enjoy the best value for money. We have made a significant investment in test equipment so we ensure that it's well packed to minimise damage and delay.

#### We really do listen to you.

You won't waste your time contacting Inlec. Every request for equipment is logged and carefully considered. Listening to our customers helps keep our product range up to date and relevant. If you are unhappy about any aspect of our service please let us know so we can put it right.

#### **YOUR 5 WAY GUARANTEE**

#### GUARANTEE SAME DAY DESPATCH

We understand why prompt delivery is important to you. So, if we confirm your order before 3pm, you are guaranteed same day despatch.

#### **2 OUR PRICE GUARANTEE**

Inlec guarantee you real value for money. Our price match policy is simple - if you can hire the same product for less elsewhere, we guarantee to match that price and reduce it by a further 10% of the difference - and still deliver our industry leading technical and customer support.

For full details check our price-match guarantee online

#### **O TOP QUALITY GUARANTEED**

All equipment is thoroughly checked prior to dispatch to ensure you receive it in full, safe working order. Your shipment will be securely packed and include manufacturer's instructions, accessories or consumables and a valid calibration certificate where appropriate. In addition, Inlec offer a 24 hour replacement service if you decide the equipment is not suitable for your application\*.

#### FRIENDLY, KNOWLEDGEABLE ADVICE GUARANTEED

Inlec are happy to provide you with free advice, from anunbeatable team of experienced, knowledgeable and friendly engineers and hire experts.

#### **S** YOUR GUARANTEE OF THE BEST CUSTOMER SERVICE

Throughout your hire we will work hard to ensure you enjoy the very best in support and service from Inlec. We guarantee you won't find better service anywhere in the industry.

\*subject to availability and conditions

### **Europe's leading Test Equipment Hire Specialist**



Nationwide Low Call 0333 6000 600 Online: www.inlec.com Inlec UK Ellerbeck Way, Stokesley Business Park, Stokesley N Yorkshire TS9 5JZ United Kingdom



