



Datasheet




0370 330 6021

www.sunbeltrentals.co.uk

AVA M80 VIBRATION MONITORING

PRODUCT CODE: AVAM80

The system is designed for maximum ease-of-use even in harsh outdoor conditions. Deploy your instruments and start or stop measurements at the press of a button, now with a built-in spirit level.










AVA M80 FEATURES

- Up to 8 Month Battery Life
- 3G/2G modem for quicker access to results
- Sleek design with built in spirit level
- Compact and Portable
- Automatic SMS and email alerts
- Remote access
- Web based system
- Output for flashing local alarm unit

A system for you to monitor vibration in an easy & cost effective way, giving you all you need to manage real-time vibration data online, now with a built in spirit level.

Vibration monitoring - Simple setup with outstanding battery life

-  New 3G/2G modem for quicker access to results
-  Measure and monitor vibration for BS5228 part 2
-  Output for flashing local alarm unit
-  Automatic reporting
-  SMS & email alerts
-  110v - 240v or 12v batteries (6-month battery life)
-  Plug & play - connect power & your system is running

Reliable and secure vibration monitoring

- Continuous measurement and operational vibration monitoring around the clock
- Real-time measurement data - Reach your data anywhere, at any time from any device
- Reliable field equipment that withstands a tough outdoor environment
- Automatic alerts by e-mail and SMS

Vibration monitoring on site

The ideal vibration monitor for:

- Ground vibration monitoring
- Piling vibration monitoring
- Blast vibration monitoring
- Demolition activities monitoring
- Enabling works monitoring

Superior project economy

- Up to five-months battery life (external 230V adapter can be connected when necessary)
- Automatic measurement provides minimal manual handling
- Remote-controlled field instruments minimise the number of trips to the measurement site
- Simple handling of field instruments, one button-push for start/stop
- Reading, communication and monitoring of measurement data online
- Education and support online

DATA ACQUISITION

Channels

- Four independent user defined channels with individual filter and sensor configuration

Triggered Recording

- Synchronized waveform recording on all active channels
- Periodic Recording
- Continuous recording of peak values with configurable time interval

Environment Recording

- Periodic recording of temperature and battery voltage

Trigger Level

- Configurable within entire vibration measurement range

Waveform Length

- Configurable up to 60 seconds

Pre-trigger

- Configurable up to 10 seconds

Consecutive Triggering

- Up to three consecutive triggered events with continuous recording without dead time
-
- Storage

Waveforms

- 255 waveforms

Periodic Vibration Measurements

- 4000 periodic measurement records (all active channels)

Triggered Vibration Measurements

- 1000 triggered measurement records (all active channels)

VIBRATION SENSORS

Sensor Interface

- Analog sensor interface, 4 TNC ports

Self-test

- Automatic self-test for geophone sensor

Supported Sensors

- Geophone (horizontal, vertical and tri-axial), 0–250mm/s (0–10mm/s RMS for comfort measurements)
- Accelerometer, 0-40 m/s²
- Airblast Microphone, 10-1000 Pa

Power Supply

Batteries

6 x LR20 (D cells)

Battery Runtime

Up to 150 days depending on configuration, temperature and communication patterns

Communication

Ethernet

10/100 Mbit, RJ45 port

GSM/GPRS

Dual band 900/1800 MHz, Power Class 4 (2W)@900 MHz, Power Class 1 (1W)@1800 MHz, GPRS Class 10, Coding scheme 1 to 4, Internal antenna

User Interface

Remote configuration and data analysis using AvaNet/Sonitus portal. Simple MMI with push buttons and LED indicators

Operating Environment

Temperature

-20 °C to +50 °C

Relative Humidity

10% to 90%

Air Pressure

86 kPa to 108 kPa

We are supporting you to deliver
a world class service, every day,
in every sector...

LOCATIONS

LONDON, HEATHROW

Sunbelt Rentals UK Test & Monitoring

242-252 London Road, Staines, London TW18 4JQ

0333 122 3126

www.sunbeltrentals.co.uk/find-a-depot/london-heathrow

REDCAR

Sunbelt Rentals UK Test & Monitoring

Unit 5 Kirkleatham Business Park, Redcar TS10 5SQ

0370 330 6021

www.sunbeltrentals.co.uk/find-a-depot/teesside

STOKESLEY

Sunbelt Rentals UK Test & Monitoring

2 Ellerbeck Way, Stokesley Business Park, Stokesley, North Yorkshire TS9 5JZ

01642 718 900

www.sunbeltrentals.co.uk/find-a-depot/stokesley



www.inlec.com

Order Online with Next Day
Delivery, Online Chat & Online
Account Management



★ Trustpilot

View our trustpilot score



STOKESLEY  REDCAR

 HEATHROW

0370 330 6021
instrumentation@sunbeltrentals.co.uk
testequipment@sunbeltrentals.co.uk
www.sunbeltrentals.co.uk


SUNBELT
RENTALS