



# Datasheet



0370 330 6021  
[www.sunbeltrentals.co.uk](http://www.sunbeltrentals.co.uk)

- VLF
- DC
- Jacket/Sheath
- Sheath Fault Location mode<sup>3</sup>
- Fault conditioning
- DDD®  
Dual Discharge Device (internal)
- USB Data Transfer

b2 High-Voltage  
is a business division of  
**b2 electronic GmbH**

Riedstraße 1  
6833 Klaus  
AUSTRIA

Tel. +43 (0)5523 57373  
Fax + 43 (0)5523 57373-5

www.b2hv.at  
info@b2hv.at



DHV1211 Rev02  
ENGLISH

Subject to alternations-  
Errors excepted  
Illustrations are not binding

# HVA90

## Compact and universal VLF High Voltage Test Set

### Large output load capability up to 10 $\mu\text{F}$ <sup>1</sup>

The high power HVA90 Test System is capable of testing cables up to 3,300 m (1  $\mu\text{F}$  at 0.1 Hz and 64 kV rms).

The variable output frequency allows the testing of even much longer cables. At 10  $\mu\text{F}$  – 0.01 Hz and 64 kV rms a length of approx 33,000 m can be tested (see technical data).



Type		HVA90
Article number		SH0209
Input Voltage		210 – 240 V 50/60 Hz (3.0 kVA)
Output Voltage	Sinusoidal	0 – 90 kV peak, 64 kV rms
	DC	$\pm$ 0 – 90 kV
	Squarewave	90 kV
	Accuracy	$\pm$ 1 %
	Vacuum Bottle	90 kV
	Resolution	0.1 kV
Output Current		0 – 65 mA (Resolution 1 $\mu\text{A}$ ) Accuracy: $\pm$ 1 %
Resistance Range		0.1 M $\Omega$ ...5 G $\Omega$
Sheath Test	Umax	10 kV
	Duration	1 min – 15 min
	Trip Current	0.1 mA – 5.0 mA
Sheath Fault Location <sup>3</sup>	Unmax	10 kV
	Duration	1 min – 60 min
	Pulse/Period	1:3 / 4 s, 1:5 / 4 s, 1:5 / 6 s, 1:9 / 6 s
Output Frequency		0.01 ... 0.1 Hz in steps of 0.01 Hz (default 0.1 Hz) – auto frequency selection
Output Load		1.0 $\mu\text{F}$ @ 0.1 Hz @ 61 kV rms (Approx 3,300 m of cable) <sup>2</sup> 1.2 $\mu\text{F}$ @ 0.1 Hz @ 57 kV rms (Approx 4,000 m of cable) <sup>2</sup> 10 $\mu\text{F}$ @ 0.01 Hz @ 64 kV rms (Approx 33,000 m of cable) <sup>2</sup> 10 $\mu\text{F}$ maximum Capacitance! <sup>1</sup>
Output Modes		AC (VLF) Symmetrical and load independent across full range, DC (plus or negative polarity), Burn-/ Fault Condition or Fault Trip Mode, Jacket / Sheath Testing
Safety		50 Hz 12 kV Feedback Protection / Discharge unit
Memory		50 Test Records Stored
Metering		Voltage an Current (True rms and / or peak), Capacitance, Resistance, Time, Flashover Voltage
Duty		Continuous! No thermal limitation for operating time.
HV Cable		7.5 m with Alligator clamps on end (other options available on request)
Software		„HVA Control Center“
Computer interfaces	RS232	•
	USB	•
Environmental conditions		Storage: -25°C to + 70°C, Operating: -5°C to + 45°C
Dimensions L x W x H		545 x 445 x 610 mm (Excl. Carry Handle), also as 19" version available
Weight		127 kg
Upgrades (Optional)		Tan Delta TD90-MC, Partial Discharge System PD90-2 / PDTD90-2

<sup>1</sup> At lower frequency and voltage

<sup>2</sup> Based on a typical cable: 300 pF/m

<sup>3</sup> In combination with locator set (not in scope of supply)

We are supporting you to deliver  
a world class service, every day,  
in every sector...

## LOCATIONS

### LONDON, HEATHROW

#### Sunbelt Rentals UK Test & Monitoring

242-252 London Road, Staines, London TW18 4JQ

0333 122 3126

[www.sunbeltrentals.co.uk/find-a-depot/london-heathrow](http://www.sunbeltrentals.co.uk/find-a-depot/london-heathrow)

### REDCAR

#### Sunbelt Rentals UK Test & Monitoring

Unit 5 Kirkleatham Business Park, Redcar TS10 5SQ

0370 330 6021

[www.sunbeltrentals.co.uk/find-a-depot/teesside](http://www.sunbeltrentals.co.uk/find-a-depot/teesside)

### STOKESLEY

#### Sunbelt Rentals UK Test & Monitoring

2 Ellerbeck Way, Stokesley Business Park, Stokesley, North Yorkshire TS9 5JZ

01642 718 900

[www.sunbeltrentals.co.uk/find-a-depot/stokesley](http://www.sunbeltrentals.co.uk/find-a-depot/stokesley)



[www.inlec.com](http://www.inlec.com)

Order Online with Next Day  
Delivery, Online Chat & Online  
Account Management



★ Trustpilot

View our trustpilot score



STOKESLEY  REDCAR

 HEATHROW

0370 330 6021

[instrumentation@sunbeltrentals.co.uk](mailto:instrumentation@sunbeltrentals.co.uk)

[testequipment@sunbeltrentals.co.uk](mailto:testequipment@sunbeltrentals.co.uk)

[www.sunbeltrentals.co.uk](http://www.sunbeltrentals.co.uk)

