

## Datasheet





0370 330 6021 www.sunbeltrentals.co.uk



## MODELS 550C 580C 106






- Model 550C Pneumatic Comparator for pressures up to 120 bar
- Model 106 Hydraulic Comparator for pressures up to 600 bar

# Pneumatic and Hydraulic Comparators

- Model 580C Hydraulic Comparator for pressures up to 1200 bar
- Ergonomic layout ideal for Laboratory use



#### Industrial Range

MODELS 550C 580C 106

### Pneumatic and Hydraulic Comparators

The superior manufacturer of Pressure Calibration equipment

Budenberg created their

tradition of manufacturing quality, precision instruments in 1849 with the patented Schaffer diaphragm gauge.
Joining forces in 1994 with Desgranges & Huot, the established market leader in the field of supply and service of Pressure Calibration equipment to meet primary standards, has provided a joint portfolio of products and services to satisfy the requirements of clients in industry, in quality control and in accredited laboratories.



#### 550C SERIES PNEUMATIC COMPARATOR

For generation of pressures up to 120 bar (1600 lb/in²). Two union connectors: one for a test instrument and one for the instrument to be calibrated.

Aluminium base with ABS cover.

Four adjustable feet for levelling.

One pressure entry at back screwed internally 1/4" BSP. Also supplied with 1/4" BSP male to 1/4" NPT female adaptor. One Soft Seat valve admits air into system from inlet and the other vents the system to atmosphere.

Volume adjuster fitted to make fine adjustments of pressure with great ease.

Safety pattern gauge fitted to adjuster block to indicate approximate pressure.

Complete with tool roll and manual.



#### 580C SERIES HYDRAULIC COMPARATOR

For generation of pressures up to 1200 bar (16,000 lb/in²). Two union connectors: one for a test instrument and one for the instrument to be calibrated.

Twin area screw pump with needle thrust and axially located handwheel for easy operation at higher pressure.

Aluminium base with ABS cover.

Four adjustable feet for levelling.

Two Valves: Valve 'A' open to prime with large diameter ram, Valve 'B' open to fill pump or vent large diameter ram to reservoir.

Instruction plate with diagram.

Complete with tool roll and manual.



#### 106 SERIES HYDRAULIC COMPARATOR

Model 106 pressure gauge tester for pressures up to 600 bar or 8,500lb/in², finished in black, with holes for bench mounting, oil reservoir with shut-off valve,

two 1/2" BSP gauge connections,

connections for 3/8" and 1/2" BSP, two spanners.

The tester is designed for use with most mineral based hydraulic and lubricating oils.

A version is available for use on de-mineralised water.

For further information on Accessories, Repairs & Recertification contact DH-Budenberg and ask for a Data sheet.

We are supporting you to deliver a world class service, every day, in every sector...

#### **LOCATIONS**

#### LONDON, HEATHROW

Sunbelt Rentals UK Test & Monitoring

242-252 London Road, Staines, London TW18 4JQ 0333 122 3126

www.sunbeltrentals.co.uk/find-a-depot/london-heathrow

#### **REDCAR**

Sunbelt Rentals UK Test & Monitoring

Unit 5 Kirkleatham Business Park, Redcar TS10 5SQ 0370 330 6021

www.sunbeltrentals.co.uk/find-a-depot/teesside





#### **STOKESLEY**

Sunbelt Rentals UK Test & Monitoring

2 Ellerbeck Way, Stokesley Business Park, Stokesley, North Yorkshire TS9 5JZ 01642 718 900

www.sunbeltrentals.co.uk/find-a-depot/stokesley



www.inlec.com

Order Online with Next Day Delivery, Online Chat & Online **Account Management** 





View our trustpilot score











