



Datasheet




0370 330 6021
www.sunbeltrentals.co.uk

UTILITY & SUBSTATION TESTING

APPLICATION GUIDE

www.hipotronics.com





CONTENTS


Product Line Overview	2
AC & DC Hipot Testing	3
Liquid Dielectric & Vacuum Bottle Testing	4
Resistance & Turns Ratio Measurement	5
Voltage Measurement & Frequency Response Analysis	6
Power Factor / C Tan δ	7

PRODUCT LINE OVERVIEW

	HVT SERIES	800 SERIES	OC SERIES	7BT80	2293	2795 / 2796	KVM SERIES	5402	5310	MIDAS	MIDAS micro
AC HIPOT	•		•	•							
DC HIPOT		•									
VACUUM BOTTLE				•							
LIQUID DIELECTRIC			•								
WINDING RESISTANCE				•	•						
TURNS RATIO				•	•					•	
VOLTAGE MEASUREMENT						•					
RECOVERY VOLTAGE MEASUREMENT							•				
FREQUENCY RESPONSE								•	•	•	
POWER FACTOR / C TAN δ									•	•	•

MARKET SEGMENTS

CUSTOMER BASE FOR UTILITY & SUBSTATION TESTING



**PORTABLE AND
EFFICIENT**

AC & DC HIPOT TESTING

For utility and service companies, electrical maintenance testing is crucial for promoting and maintaining safety. The voltage withstand ability - or dielectric breakdown - of this equipment should be tested regularly to ensure insulation integrity.

Proper testing and recording of test results can detect existing issues and prevent future hazards.

		TEST VOLTAGE						
		0-15 kV	≤ 30 kV	≤ 60 kV	≤ 80 kV	≤ 100 kV	≤ 120 kV	≤ 170 kV
AC Testing HVT SERIES	30HVT	•	•					
	60HVT	•	•	•				
	100HVT	•	•	•	•	•		
	120HVT	•	•	•	•	•	•	
DC Testing 800 SERIES	815	•						
	880	•	•	•	•			
	8120	•	•	•	•	•	•	
	8170	•	•	•	•	•	•	•



ACCESSORIES




Purchase our **Grounding Stick** to deenergize devices under test; it is suitable for AC or DC hipots rated up to 120 kV.

DEVICES UNDER TEST

- Rubber goods
- Aerial lift trucks
- Hot sticks
- Cable
- Transformers
- Electrical switchgear
- Motors / Generators



		AC TEST VOLTAGE		APPLICATIONS & FEATURES		
		0-60 kV	≤ 90 kV	VACUUM TESTING	LIQUID DIELECTRIC TESTING	PRINTABLE TEST RESULTS
TEST SEQUENCE	Manual					
	OC60D	•			•	
	OC90D	•	•		•	
	Automatic	OC60E	•		•	
		OC60E/P	•		•	•
		7BT60	•	•		

LIQUID DIELECTRIC TESTING

OC SERIES

The **OC Series** is designed to test the dielectric integrity of liquid insulation in a variety of electrical apparatus. This equipment was designed to test standards such as ASTM D877, ASTM D1816, and IEC 156.



FUNCTIONALITY

- ✓ Tests per ASTM and IEC standards
- ✓ Automatic high voltage shutdown at breakdown point
- ✓ Lightweight and portable design
- ✓ Digital memory kilovoltmeter
- ✓ Data acquisition and on-board printer options



VACUUM BOTTLE TESTING

7BT60

The **7BT60** tests the integrity of vacuum interrupters in switchgear and allows users to select desired test parameters and then watch the sequence run automatically. Once complete, the pass/fail indicator lamp provides immediate, visual indication of test results.

EASY-TO-OPERATE

- ✓ Automatic test procedure
- ✓ Center-tapped transformer
- ✓ Dwell timer
- ✓ Failure indicator
- ✓ Portable



RESISTANCE & TURNS RATIO MEASUREMENT

Designed by
Tettex
INSTRUMENTS

WINDING ANALYZER 2293

The 2293 is designed to test power transformers, distribution transformers, generators / motors, and instrument transformers.



UNMATCHED ADVANTAGES

World's first analyzer to combine:

- Winding resistance
- Turns ratio
- Demagnetization
- Heat run



DEMAGNETISE



HEAT RUN TEST



TURNS RATIO



WINDING RESISTANCE

TRANSFORMER TURNS RATIO METERS 2795 & 2796

This Transformer Turns Ratio (TTR) family combines mobility with user-friendly handling. Both models carry the unmatched accuracy that Tettex products are known for.

APPLICATIONS

- Power transformers
- Distribution transformers
- Instrument transformers
- Special transformers:
 - ✓ Phase-shifting
 - ✓ Rectifier
 - ✓ Arc-furnace
 - ✓ Traction



2796



2795

POWER LEVEL

	< 150 MVA	> 150 MVA
TTR 2795 (100 V)	•	
TTR 2796 (250 V)		•



TURNS RATIO



ARBITRARY PHASE
SHIFT MEASUREMENT

VOLTAGE MEASUREMENT

KVM SERIES

The **KVM Series** offers models in 100 kV, 200 kV, 300 kV, and 400 kV with the ability to function in both high and low voltage ranges for maximum accuracy.

BENEFITS

- ✓ Portable carrying case
- ✓ Battery-operated
- ✓ Fast and accurate measurements
- ✓ Useful for a wide variety of applications
- ✓ Lightweight



RECOVERY VOLTAGE MEASUREMENT

RVM 5462

The **RVM 5462** measures moisture content in a transformer's oil-paper insulation, allowing the user to evaluate the degradation rate and determine the transformer's residual lifetime.

OVERVIEW

- Non-destructive test on oil-paper insulation
- Definable test procedures
- Clear indication of results, with built-in printer
- Rugged and lightweight



FREQUENCY RESPONSE ANALYSIS

FRA 5310

The **Frequency Response Analyzer (FRA)** is used to measure frequency response in passive elements of a transformer. These measurements produce a unique fingerprint of every transformer's mechanical geometry.

FEATURES

- Use of active probes for high measurement reliability and repeatability
- Integrated analysis tools
- Large touchscreen interface
- Rugged and lightweight



POWER FACTOR / C TAN δ

MOBILE INSULATION DIAGNOSTICS & ANALYZING SYSTEM (MIDAS)

The **MIDAS** series measures and records tan delta (dissipation factor), power factor and capacitance in various utility products. These units can be upgraded to include turns ratio measurement, frequency response analysis and short circuit impedance. The **MIDAS micro 2883** is the smallest and most compact insulation set on the market. Its single-box design weighs only 25 kg / 55 lbs - making tests easy both in the factory and in the field.



	OUTPUT VOLTAGE		CONTROLLER		DEVICES UNDER TEST						
	≤ 12 kV	≤ 15 kV	Laptop	Touchscreen	Rotating Machines	Power Transformers	Instrument Transformers	Bushings	Capacitors	Circuit Breakers	Surge Arrestors
MIDAS micro 2883	•			•		•		•	•	•	•
MIDAS 2880	•			•	•	•	•	•	•	•	•
MIDAS 2880G		•		•	•	•	•	•	•	•	•
MIDAS 2881	•		•		•	•	•	•	•	•	•
MIDAS 2881G		•	•		•	•	•	•	•	•	•

TRAINING OPPORTUNITIES

TRANSFORMER DIAGNOSTICS COURSE

Sign up for our "Transformer Diagnostics" course, offered through our training program. This course is designed to help transformer manufacturers, utility and contract workers, repair companies, and research labs satisfy their testing needs.

EDUCATION IS POWER

training@hipotronics.com





OFFICES:

Europe

Haefely Test AG
Birsstrasse 300
4052 Basel
Switzerland

☎ +41 61 373 4111
✉ +41 61 373 4912
✉ sales@haefely.com

China

Haefely Test AG Representative Beijing Office
8-1-602, Fortune Street
No. 67, Chaoyang Road, Chaoyang District
Beijing, China 100025

☎ +86 10 8578 8099
✉ +86 10 8578 9908
✉ sales@haefely.com.cn

North America

Hipotronics, Inc.
1650 Route 22 N
Brewster, NY 10509
United States

☎ +1 845 279 3644
✉ +1 845 279 2467
✉ sales@hipotronics.com

**We are supporting you to deliver
a world class service, every day,
in every sector...**

LOCATIONS

LONDON, HEATHROW

Sunbelt Rentals UK Test & Monitoring

242-252 London Road, Staines, London TW18 4JQ

0333 122 3126

www.sunbeltrentals.co.uk/find-a-depot/london-heathrow

REDCAR

Sunbelt Rentals UK Test & Monitoring

Unit 5 Kirkleatham Business Park, Redcar TS10 5SQ

0370 330 6021

www.sunbeltrentals.co.uk/find-a-depot/teesside

STOKESLEY

Sunbelt Rentals UK Test & Monitoring

2 Ellerbeck Way, Stokesley Business Park, Stokesley, North Yorkshire TS9 5JZ

01642 718 900

www.sunbeltrentals.co.uk/find-a-depot/stokesley



www.inlec.com

Order Online with Next Day
Delivery, Online Chat & Online
Account Management



View our trustpilot score



STOKESLEY  REDCAR

 HEATHROW

0370 330 6021
instrumentation@sunbeltrentals.co.uk
testequipment@sunbeltrentals.co.uk
www.sunbeltrentals.co.uk

